

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7624	709/223.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/01 11:50
L2	86	(@ad<"20010619" or @rlad<"20010619") and dynamic\$6 near15 (type\$1 or select\$4) near15 (measur \$7 or performanc\$4) near14 size\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/01 11:50
L3	4	(@ad<"20010619" or @rlad<"20010619") and type\$1 near15 (measur\$4 or performanc\$4) near15 transfer\$5 near3 size\$1 and response near time\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/01 11:50
L4	48	(@ad<"20010619" or @rlad<"20010619") and throughput\$4 near15 (large or small) and (laten\$4 or (response near time\$1)) near15 (small or large) and measur\$7 near15 size\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/01 11:50
L5	1	I1 and I2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/01 11:51
L6	0	I1 and I3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/01 11:51
L7	1	I1 and I4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/01 11:51
S10	150	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 server and measur\$4 same large same small	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 19:51

S11	0	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 mirror near3 server and measur\$4 same large same small	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 19:51
S12	290	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 mirror and measur\$4 same large same small	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 19:52
S13	1	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 server and measur\$4 near10 type\$1 same large same small	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 19:52
S14	0	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 server and (determin\$4 or select\$4) near15 type\$1 near10 measur\$4 near10 type\$1 same large same small	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 19:53
S15	0	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 server and (determin\$4 or select\$4) near15 type\$1 near10 measur\$4 same large same small	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 19:53
S16	201	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 server\$1 and (determin\$4 or select \$4) near15 type\$1 near10 measur\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 19:54
S17	1	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 server\$1 and (determin\$4 or select \$4) near15 type\$1 near10 measur\$6 near15 size\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 19:54
S18	16	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 server\$1 and type\$1 near10 measur \$6 near15 size\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 19:55

S19	24	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 fastest near14 server\$1 and size\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 19:58
S20	8	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 fastest near14 server\$1 and large same small	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:14
S21	11	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 fastest near14 (size or (large same small))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:17
S22	102706	(@ad<"20010619" or @rlad<"20010619") and measur\$6 near14 (size or (large same small))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:20
S23	459	(@ad<"20010619" or @rlad<"20010619") and measur\$6 near14 transfer\$5 near2 size\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:36
S24	27	(@ad<"20010619" or @rlad<"20010619") and different near10 measur\$6 near14 transfer\$5 near2 size \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:36
S25	3	(@ad<"20010619" or @rlad<"20010619") and measur\$6 near14 transfer\$5 near2 size\$1 and fastest	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:39
S26	45	(@ad<"20010619" or @rlad<"20010619") and measur\$6 near14 transfer\$5 near2 size\$1 and server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:39
S27	13261	(@ad<"20010619" or @rlad<"20010619") and measur\$6 near14 throughput near14 small or large and transfer\$5 near2 size\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:53

S28	1	(@ad<"20010619" or @rlad<"20010619") and measur\$6 near14 throughput \$4 near14 (small or large) and transfer\$5 near2 size\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:53
S29	283	(@ad<"20010619" or @rlad<"20010619") and measur\$7 near14 throughput \$4 near14 (small or large) and measur\$7 near15 (large or small)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:56
S30	9	(@ad<"20010619" or @rlad<"20010619") and measur\$7 near14 throughput \$4 near14 (small or large) and measur\$7 near15 latenc \$4 near15 (large or small)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:56
S31	27	(@ad<"20010619" or @rlad<"20010619") and measur\$7 near14 throughput \$4 near14 (small or large) and measur\$7 near15 (large or small) and type\$1 near3 measurement\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:58
S32	63	(@ad<"20010619" or @rlad<"20010619") and measur\$7 near14 throughput \$4 near14 (small or large) and measur\$7 near15 (large or small) and measur\$7 near15 size\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:02
S33	45	(@ad<"20010619" or @rlad<"20010619") and measur\$7 near14 throughput \$4 near14 (small or large) and measur\$7 near15 (large or small) and measur\$7 near15 size\$1 not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:02
S34	197226	(@ad<"20010619" or @rlad<"20010619") and measur\$7 near14 throughput \$4 near14 threshold\$1 measur\$7 near15 size\$1 not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:06
S35	11	(@ad<"20010619" or @rlad<"20010619") and measur\$7 near14 throughput \$4 near14 threshold\$1 and measur\$7 near15 size\$1 not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:06

S36	1940	(@ad<"20010619" or @rlad<"20010619") and measur\$7 near14 threshold \$1 and threshold\$4 near15 size\$1 not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:10
S37	7	(@ad<"20010619" or @rlad<"20010619") and measur\$7 near14 threshold \$1 and threshold\$4 near15 size\$1 and throughput and latenc\$4 and response near time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:10
S38	309	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or switch\$4) near15 type\$1 near15 (measur\$7 or performanc \$4) near14 size\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:13
S39	33	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or switch\$4) near15 type\$1 near15 (measur\$7 or performanc \$4) near14 size\$1 and throughput\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:14
S40	14	(@ad<"20010619" or @rlad<"20010619") and dynamic\$6 near15 (type\$1 or select\$4) near15 (measur \$7 or performanc\$4) near14 size\$1 and throughput\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:16
S41	14	(@ad<"20010619" or @rlad<"20010619") and dynamic\$6 near15 (type\$1 or select\$4) near15 (measur \$7 or performanc\$4) near14 size\$1 and throughput\$1 not S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:17
S42	86	(@ad<"20010619" or @rlad<"20010619") and dynamic\$6 near15 (type\$1 or select\$4) near15 (measur \$7 or performanc\$4) near14 size\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:18
S43	72	(@ad<"20010619" or @rlad<"20010619") and dynamic\$6 near15 (type\$1 or select\$4) near15 (measur \$7 or performanc\$4) near14 size\$1 not (S39 or S40)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:18

S44	61	(@ad<"20010619" or @rlad<"20010619") and type\$1 near15 (measur\$4 or performan\$4) near15 transfer\$5 near3 size\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:20
S45	7	(@ad<"20010619" or @rlad<"20010619") and type\$1 near15 (measur\$4 or performan\$4) near15 transfer\$5 near3 size\$1 and throughput\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:20
S46	4	(@ad<"20010619" or @rlad<"20010619") and type\$1 near15 (measur\$4 or performan\$4) near15 transfer\$5 near3 size\$1 and response near time\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:20
S47	442	(@ad<"20010619" or @rlad<"20010619") and throughput\$4 near15 (large or small) and (laten\$4 or (response near time\$1)) near15 (small or large)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:23
S48	287	(@ad<"20010619" or @rlad<"20010619") and throughput\$4 near15 (large or small) and (laten\$4 or (response near time\$1)) near15 (small or large) and measur\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:23
S49	47	(@ad<"20010619" or @rlad<"20010619") and throughput\$4 near15 (large or small) and (laten\$4 or (response near time\$1)) near15 (small or large) and measur\$7 near15 size\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:23

8/ 1/ 08 11:52:08 AM

C:\Documents and Settings\plee2\My Documents\EAST\Workspaces\09884674pcl.wsp